

Wellie Wishers Jammies

As always this pattern is © by me (Jennie Bagrowski) and is for your personal use only, you MAY share it by linking to this blog, you may NOT sell it or upload it to any site without my permission. If you sell things made from this pattern I'd appreciate credit for the pattern design. ©

If you downloaded this elsewhere it was stolen from: http://jenwrenne.wordpress.com

Quarter inch seams allowed on all pieces unless otherwise specified.

I assume you have basic sewing knowledge and the explanation should suffice, but if you need help please email me!





SUPER IMPORTANT:

- The outer edge ONLY of the collar has a 1/8" (~3mm) seam allowance.
- 3/8" is allowed at the top of the pants to form elastic casing.
- All other seams are ¼"

Top instructions:

- 1. Sew collar with 1/8" (~3mm) seam allowance at the outer edge, clip, turn, press. ALL OTHER SEAM ALLOWANCES FROM THIS POINT ON ARE ¼"
- 2. Sew shoulder seams
- 3. Baste collar to neckline
- 4. Apply facing, clip, turn, press
- 5. Hem sleeves, ease into armholes
- 6. Hem bottom edge
- 7. Apply closures (snaps or Velcro) and cover with decorative buttons

Pants are standard elastic or drawstring waist. 3/8" is allowed at the top of the pants to form elastic casing.

If you can't do those without instructions, click here:

https://jenwrenne.files.wordpress.com/2013/04/summer-sew-along-2013-part-2-t-and-capris.pdf



